

CIVIL ENGINEERING APPLICATIONS OF TIRE DERIVED AGGREGATE

Dana N. Humphrey, Ph.D., P.E.
Dean of Engineering
University of Maine


Presented at:
Ohio Sustainable Roadway
Materials Workshop
December 3, 2014

Outline


Why use TDA?

- Example projects
 - Boundary Road Project
 - Lightweight fill over reinforced concrete culvert
- Design parameters for TDA as retaining wall backfill

Why use TDA?

- 
- TDA has properties that civil engineers need
 - Lightweight (1/3 soil)
 - Low earth pressure (1/2 soil)
 - Good thermal insulation (8 times better)
 - Good drainage (10 times better)
 - Compressible
 - Vibration damping

Why use TDA?

- 
- Can use lots of tires!!!
 - 75 tires per yd³ of TDA fill
 - 1.2 million tires for highway embankment, Portland, Maine
 - 75,000 for vibration damping layer in San Jose, CA
 - 390,000 tires for highway embankment in Cornwall, Ontario

Boundary Road Project

- Cornwall, Ontario
- Reconstructed highway overpass
- Owner: Ontario Ministry of Transportation
- TDA
 - 5000 cubic yards
 - 3400 tons
 - Supplier: Liberty Tire, Brantford, Ontario

TDA Production




TDA Loading



Type B TDA



Typical Cross Section



Site Ready for TDA



Unrolling Geotextile



Unloading TDA



Spreading TDA



Advancing Lift of TDA



Compacting with Roller





Construction Partners





Monitoring Program

- Settlement
- Temperature
- Water Quality



Post Placement Compression of TDA layer – South Embankment



TDA as Lightweight Fill Over Concrete Box Culvert

- U.S. 101 – Piercy, California (Confusion Hill) – 200 miles north of San Francisco
- New highway alignment to avoid landslide area
- Existing 6.1 m x 6.1 m reinforced concrete culvert covered by 25 m of fill
- Must add 2 m of fill for road realignment
- Problem: No load can be added to culvert
- Solution: Use TDA as lightweight fill




Confusion Hill Project



Photo: Courtesy of Kenneec, Inc.

Longitudinal Cross Section



Confusion Hill – Initial Conditions



Photo: Courtesy of Kenneec, Inc.

Confusion Hill – TDA Delivery



Photo: Courtesy of Kenec, Inc.

Confusion Hill – During Construction



Photo: Courtesy of Kenec, Inc.

Confusion Hill – Completed Project



Design Parameters for TDA as Retaining Wall Backfill

- Earth pressure coefficient
 $K = \sigma_h / \sigma_v$


Instrumented Walls

- At-Rest Conditions
 - UMaine Test Wall
 - North Abutment Merrymeeting Bridge
 - Limestone Run Bridge, Tarrtown, PA
- Active Conditions
 - UMaine Test Wall
 - Wall 119 Riverside, CA
 - Wall 207 Riverside, CA

Pressure cells



Wall 119 in Riverside, CA



Compacting TDA




Placing soil cover




Heavy equipment
Immediately behind
wall!!!!

2003 9 19


Horizontal vs. Vertical Stress (Cells in Soil)




Horizontal vs. Vertical Stress (Cells in TDA, At Rest Sections)



Horizontal vs. Vertical Stress (Cells in TDA, Active Sections)



Example of Potential Benefits



Conclusions

- TDA has properties that engineers need
- Civil engineering applications are critical to managing scrap tires
 - Lightweight embankment fill
 - Lightweight fill over culverts
 - Retaining wall backfill
- Highway applications
 - Lightweight embankment fill
 - Lightweight fill over culverts
 - Retaining wall backfill
- Specifications and guidelines available
- Negligible environmental effects

